



**Decra®**  
Top roof, safe home.



[www.decra.eu](http://www.decra.eu)

**Product Catalogue**



**Decra®**  
Top roof, safe home.

# Advantages

DECRA combine the stormproof strength and corrosion resistance of metal roof tiles with the beauty of natural stone coating or with the refined elegance of powder-coating, ensuring both exceptional durability and captivating style. Explore our wide range of colours—from modern shades to rustic and classic tones— that allows you to find the perfect match for your architectural vision.



## Lightweight & Strong

Decra roofs can be up to seven times lighter than traditional clay or concrete tiles, making installation faster and more cost-effective. Their feather light weight may reduce structural costs and even allows reroofing over existing roofs. During an earthquake, Decra's lightweight, interlocking system helps the weakened walls withstand shaking more safely.



## Wind and storm resistance

With extreme weather on the rise, Decra offers top protection—even against hurricanes. Unlike traditional tiles that lift in high winds, Decra's unique interlocking steel tiles stay firmly in place. Prepare your home for the worst—let Decra be your storm-proof bodyguard!



## Hail protection

Hailstorms can be a roof's worst enemy. In June 2018, a massive storm in Slovenia destroyed over 1,700 roofs—except for stone-coated metal roofs like Decra. Despite 10 cm hailstones, they remained waterproof, with only minor surface dents. Unlike concrete or clay tiles that crack under impact, Decra's strong metal construction withstands extreme hail, keeping your home protected.



## Fire resistance

A strong roof is crucial in a fire. Made from non-combustible, non-corrosive metal, Decra offers lightweight fire protection. Its 8-point fastening and watertight interlocking system ensure structural integrity, preventing collapse and blocking sparks. With a top-tier "Class A" fire rating, Decra is one of the safest roofing choices against fire hazards.



## Snow and ice protection

The stone coating of a Decra roof keeps the snow in place till it naturally melts preventing sudden slides. With a Decra roof your home is safe in winter as well even without snow guards. And since those guards aren't exactly pleasing to the eye, you can enjoy a beautifully clean roofline with Decra, without compromising on safety.



## Noise resistance

We often hear people say: we understand the unique benefits of light, strong and beautiful stonecoated or powdercoated metal roofs but is a metal roof not noisy? We are aware of this concern and developed an efficient solution for it: the interlocking system and the rough stonecoating of our tiles offer the best noise protection amongst metal roofs.

# Tiles



Decra  
**CLASSIC**




Decra  
**STRATOS L**



Decra  
**ELEGANCE**



Decra  
**ELEGANCE ACO**




Decra  
**QUBE**

# Colours

## STONE-CHIP COATED COLOURS

---



**COAL BLACK**

R-CBL



**TERRACOTTA**

R-TER


## STONE-CHIP COATED PATCHED COLOURS

---



**ANTIQUE GREY**

R-AGR




**BRINDLE**

R-BRI


## POWDER COATED COLOURS - MATT

---




**MATT BLACK**

4-DBM



**MATT ANTHRACITE**

4-DCM




**MATT TERRACOTTA**

4-DTR


## POWDER COATED COLOURS - BRILLIANCE

---



**BRILLIANCE BLACK**

2-DBB



**BRILLIANCE BORDEAUX**

2-DBO



## Decra® CLASSIC


| Tile Name         | Colour                                              | Code                                                             | Size - overall            | Width of cover | Weight / panel | Roof Cover | Tiles per m² |
|-------------------|-----------------------------------------------------|------------------------------------------------------------------|---------------------------|----------------|----------------|------------|--------------|
| Decra®<br>Classic | ANTIQUE GREY<br>BRINDLE<br>COAL BLACK<br>TERRACOTTA | BRGAGR-PA/DEC<br>BRGBRI-PA/DEC<br>BRGCBL-PA/DEC<br>BRGTER-PA/DEC | 1335 x 415 mm<br>[± 3 mm] | 367 mm         | 2,9 kg [± 10%] | 0,462 m²   | 2,16         |



## Decra® STRATOS L

| Tile Name           | Colour     | Code          | Size - overall            | Width of cover | Weight / panel | Roof Cover | Tiles per m² |
|---------------------|------------|---------------|---------------------------|----------------|----------------|------------|--------------|
| Decra®<br>Stratos L | COAL BLACK | WRGCBL-PA/DEC | 1340 x 415 mm<br>[± 3 mm] | 369 mm         | 2,9 kg [± 10%] | 0,47 m²    | 2,15         |

Please note that the stated weights may vary slightly due to natural variations in the raw materials.



## Decra® ELEGANCE

| Tile Name          | Colour              | Code          | Size - overall            | Width of cover | Weight / panel | Roof Cover | Tiles per m² |
|--------------------|---------------------|---------------|---------------------------|----------------|----------------|------------|--------------|
| Decra®<br>Elegance | BRILLIANCE BLACK    | B2-DBB-PA/DEC | 1335 x 415 mm<br>[± 3 mm] | 369 mm         | 2,2 kg [± 10%] | 0,465 m²   | 2,15         |
|                    | BRILLIANCE BORDEAUX | B2-DBO-PA/DEC |                           |                |                |            |              |
|                    | MATT BLACK          | B4-DBM-PA/DEC |                           |                |                |            |              |
|                    | MATT ANTHRACITE     | B4-DCM-PA/DEC |                           |                |                |            |              |
|                    | MATT TERRACOTTA     | B4-DTR-PA/DEC |                           |                |                |            |              |



## Decra® ELEGANCE ACO

| Tile Name                 | Colour              | Code            | Size - overall            | Width of cover | Weight / panel | Roof Cover | Tiles per m² |
|---------------------------|---------------------|-----------------|---------------------------|----------------|----------------|------------|--------------|
| Decra®<br>Elegance<br>ACO | BRILLIANCE BLACK    | B2TDBB-PA.T/DEC | 1335 x 415 mm<br>[± 3 mm] | 369 mm         | 3,0 kg [± 10%] | 0,465 m²   | 2,15         |
|                           | BRILLIANCE BORDEAUX | B2TDBO-PA.T/DEC |                           |                |                |            |              |
|                           | MATT BLACK          | B4TDBM-PA.T/DEC |                           |                |                |            |              |
|                           | MATT ANTHRACITE     | B4TDCM-PA.T/DEC |                           |                |                |            |              |
|                           | MATT TERRACOTTA     | B4TDTR-PA.T/DEC |                           |                |                |            |              |

Please note that the stated weights may vary slightly due to natural variations in the raw materials.



| Tile Name      | Colour                                           | Code                                            | Size - overall            | Width of cover | Weight / panel | Roof Cover | Tiles per m² |
|----------------|--------------------------------------------------|-------------------------------------------------|---------------------------|----------------|----------------|------------|--------------|
| Decra®<br>Qube | MATT BLACK<br>MATT ANTHRACITE<br>MATT TERRACOTTA | D46DBM-PA/DEC<br>D46DCM-PA/DEC<br>D46DTR-PA/DEC | 1305 x 350 mm<br>[± 3 mm] | 321 mm         | 2,5 kg [± 10%] | 0,405 m²   | 2,47         |



| Tile Name           | Colour     | Code          | Size - overall            | Width of cover | Weight / panel | Roof Cover | Tiles per m² |
|---------------------|------------|---------------|---------------------------|----------------|----------------|------------|--------------|
| Decra®<br>Qube Rock | COAL BLACK | DRQCBL-PA/DEC | 1305 x 350 mm<br>[± 3 mm] | 320 mm         | 3,2 kg [± 10%] | 0,405 m²   | 2,47         |

Please note that the stated weights may vary slightly due to natural variations in the raw materials.

# Accessories

## STONE COATED



|                                                                                     | Code                 | Description                                                                                                             | Size          | Lenght of cover | Weight |
|-------------------------------------------------------------------------------------|----------------------|-------------------------------------------------------------------------------------------------------------------------|---------------|-----------------|--------|
|    | OR-XXX-1AR           | ANGLE TRIM                                                                                                              | 425 mm        | 380 mm          | 0.5 kg |
|                                                                                     | AVAILABLE FOR        | <input type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> QUBE            |               |                 |        |
|    | OR-XXX-1RB.205       | BARREL 205                                                                                                              | 423 x 203 mm  | 400 mm          | 0.7 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> QUBE |               |                 |        |
|    | OR-XXX-3RB.205       | BARREL 205 3-MOD                                                                                                        | 1220 x 203 mm | 1195 mm         | 1.8 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> QUBE |               |                 |        |
|   | OR-XXX-AR.130        | RIDGE COVER 130                                                                                                         | 1355 x 230 mm | 1255 mm         | 2.1 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> QUBE |               |                 |        |
|  | OR-XXX-AR.180        | RIDGE COVER 180                                                                                                         | 1355 x 325 mm | 1255 mm         | 2.7 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> QUBE |               |                 |        |
|  | ORPXXX-EC.RB.205.H   | BARREL 205 MOULDED END                                                                                                  |               |                 | 0.9 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> QUBE |               |                 |        |
|  | ORPXXX-RB.205.T      | BARREL 205 T RIDGE                                                                                                      |               |                 | 0.8 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> QUBE |               |                 |        |
|  | ORPXXX-EC.AR.130     | RIDGE COVER 130 END CAP                                                                                                 |               |                 | 0,3 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> QUBE |               |                 |        |
|  | ORPXXX-RB.205.Y15-30 | Y-HIP BARREL 205 15-30°                                                                                                 |               |                 | 0,9 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> QUBE |               |                 |        |

Please note that the stated weights may vary slightly due to natural variations in the raw materials.

# Accessories

## STONE COATED




|                                                                                     | Code                 | Description                                                                                                                                                                          | Size          | Lenght of cover | Weight |
|-------------------------------------------------------------------------------------|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------|--------|
|    | ORPXXX-RB.205.Y30-45 | Y-HIP BARREL 205 30-45°                                                                                                                                                              |               |                 | 0,9 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> QUBE |               |                 |        |
|    | ORPXXX-EC.BBC.L.140  | BOX BARGE SCRIBED 140 END CAP LEFT                                                                                                                                                   |               |                 | 0,1 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>                 |               |                 |        |
|    | ORPXXX-EC.BBC.R.140  | BOX BARGE SCRIBED 140 END CAP RIGHT                                                                                                                                                  |               |                 | 0,1 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>                 |               |                 |        |
|   | OR-XXX-BBC.EXL       | BOX BARGE COVER SINGLE LEFT                                                                                                                                                          | 430 x 98 mm   | 367 - 371 mm    | 0,8 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>                 |               |                 |        |
|  | OR-XXX-BBC.EXR       | BOX BARGE COVER SINGLE RIGHT                                                                                                                                                         | 430 x 98 mm   | 367 - 371 mm    | 0,8 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>                 |               |                 |        |
|  | OR-XXX-BBC.L.140.N   | BOX BARGE SCRIBED 140 LEFT                                                                                                                                                           | 1250 x 120 mm | 1107 mm         | 1,5 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>                 |               |                 |        |
|  | OR-XXX-BBC.R.140.N   | BOX BARGE SCRIBED 140 RIGHT                                                                                                                                                          | 1250 x 120mm  | 1107 mm         | 1,5 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>                 |               |                 |        |
|  | OR-XXX-BBC.L.50.N    | BOX BARGE SCRIBED 50 LEFT                                                                                                                                                            | 1250 x 120 mm | 1107 mm         | 1,2 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>                                      |               |                 |        |
|  | OR-XXX-BBC.R.50.N    | BOX BARGE SCRIBED 50 RIGHT                                                                                                                                                           | 1250 x 120 mm | 1107 mm         | 1,2 kg |
|                                                                                     | AVAILABLE FOR        | <input checked="" type="checkbox"/> CLASSIC <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>                                      |               |                 |        |

Please note that the stated weights may vary slightly due to natural variations in the raw materials.

# Accessories

## STONE COATED



|                                                                                     | Code            | Description                                       | Size                                                | Lenght of cover      | Weight                                         |
|-------------------------------------------------------------------------------------|-----------------|---------------------------------------------------|-----------------------------------------------------|----------------------|------------------------------------------------|
|    | DR-XXX-BBC.L    | BOX BARGE SCRIBED 140 LEFT   QUBE                 | 1425 x 140 mm                                       | 1284 mm              | 1,7 kg                                         |
|                                                                                     | AVAILABLE FOR   | <input type="text"/>                              | <input type="text"/>                                | <input type="text"/> | <input checked="" type="button" value="QUBE"/> |
|    | DR-XXX-BBC.R    | BOX BARGE SCRIBED 140 RIGHT   QUBE                | 1425 x 140 mm                                       | 1284 mm              | 1,7 kg                                         |
|                                                                                     | AVAILABLE FOR   | <input type="text"/>                              | <input type="text"/>                                | <input type="text"/> | <input checked="" type="button" value="QUBE"/> |
|    | DR-XXX-BBC.L.SC | BOX BARGE SCRIBED 50 LEFT   QUBE                  | 1425 x 105 mm                                       | 1284 mm              | 0,9 kg                                         |
|                                                                                     | AVAILABLE FOR   | <input type="text"/>                              | <input type="text"/>                                | <input type="text"/> | <input checked="" type="button" value="QUBE"/> |
|   | DR-XXX-BBC.R.SC | BOX BARGE SCRIBED 50 RIGHT   QUBE                 | 1425 x 105 mm                                       | 1284 mm              | 0,9 kg                                         |
|                                                                                     | AVAILABLE FOR   | <input type="text"/>                              | <input type="text"/>                                | <input type="text"/> | <input checked="" type="button" value="QUBE"/> |
|  | OR-XXX-BBC.S    | BOX BARGE STANDARD 1350                           | 1355 x 100 mm                                       | 1250 mm              | 1,7 kg                                         |
|                                                                                     | AVAILABLE FOR   | <input checked="" type="button" value="CLASSIC"/> | <input checked="" type="button" value="STRATOS L"/> | <input type="text"/> | <input checked="" type="button" value="QUBE"/> |
|  | OR-XXX-CF       | COVER FLASHING                                    | 1355 x 228 mm                                       | 1255 mm              | 1,6 kg                                         |
|                                                                                     | AVAILABLE FOR   | <input checked="" type="button" value="CLASSIC"/> | <input checked="" type="button" value="STRATOS L"/> | <input type="text"/> | <input checked="" type="button" value="QUBE"/> |
|  | OR-XXX-EA.P     | EAVES FLASHING SHORT-LEG                          | 1355mm                                              | 1255 mm              | 1,2 kg                                         |
|                                                                                     | AVAILABLE FOR   | <input checked="" type="button" value="CLASSIC"/> | <input checked="" type="button" value="STRATOS L"/> | <input type="text"/> | <input checked="" type="button" value="QUBE"/> |
|  | OR-XXX-EA.25    | EAVES FLASHING 1350                               | 1355mm                                              | 1255 mm              | 1,6 kg                                         |
|                                                                                     | AVAILABLE FOR   | <input checked="" type="button" value="CLASSIC"/> | <input checked="" type="button" value="STRATOS L"/> | <input type="text"/> | <input checked="" type="button" value="QUBE"/> |
|  | OR-XXX-EF       | EXTRA FLASHING                                    | 1355 x 68 mm                                        | 1255 mm              | 0,7 kg                                         |
|                                                                                     | AVAILABLE FOR   | <input checked="" type="button" value="CLASSIC"/> | <input checked="" type="button" value="STRATOS L"/> | <input type="text"/> | <input checked="" type="button" value="QUBE"/> |

Please note that the stated weights may vary slightly due to natural variations in the raw materials.

# Accessories

## STONE COATED



|                                                                                     | Code               | Description                                 | Size          | Lenght of cover | Weight |
|-------------------------------------------------------------------------------------|--------------------|---------------------------------------------|---------------|-----------------|--------|
|    | OR-XXX-FS          | FLAT SHEET                                  | 1345 x 455 mm |                 | 3.1 kg |
|                                                                                     | AVAILABLE FOR      | CLASSIC                                     | STRATOS L     |                 | QUBE   |
|    | OR-XXX-MPR         | MONO PITCH RIDGE                            | 1350 mm       | 1250 mm         | 1.6 kg |
|                                                                                     | AVAILABLE FOR      | CLASSIC                                     | STRATOS L     |                 | QUBE   |
|    | OR-XXX-SR.SC       | SQUARE RIDGE SCANDINAVIA                    | 1355 x 41 mm  | 1255 mm         | 1.2 kg |
|                                                                                     | AVAILABLE FOR      | CLASSIC                                     |               |                 | QUBE   |
|   | OR-XXX-SWF.L.100.N | SIDE WALL FLASHING SCRIBED 100 LEFT         | 1250 x 120 mm | 1107 mm         | 1.5 kg |
|                                                                                     | AVAILABLE FOR      | CLASSIC                                     | STRATOS L     |                 |        |
|  | OR-XXX-SWF.R.100.N | SIDE WALL FLASHING SCRIBED 100 RIGHT        | 1250 x 120 mm | 1107 mm         | 1.5 kg |
|                                                                                     | AVAILABLE FOR      | CLASSIC                                     | STRATOS L     |                 |        |
|  | DR-XXX-SWF.L.SC.NO | SIDE WALL FLASHING SCRIBED 100 LEFT   QUBE  | 1425 x 110 mm | 1284 mm         | 1.2 kg |
|                                                                                     | AVAILABLE FOR      |                                             |               |                 | QUBE   |
|  | DR-XXX-SWF.R.SC.NO | SIDE WALL FLASHING SCRIBED 100 RIGHT   QUBE | 1425 x 110 mm | 1284 mm         | 1.2 kg |
|                                                                                     | AVAILABLE FOR      |                                             |               |                 | QUBE   |
|  | OR-XXX-SWF.S       | SIDE WALL FLASHING STANDARD 1350            | 1365 x 100 mm | 1265 mm         | 1.3 kg |
|                                                                                     | AVAILABLE FOR      | CLASSIC                                     | STRATOS L     |                 | QUBE   |

Please note that the stated weights may vary slightly due to natural variations in the raw materials.

# Accessories

EXTRA




|                                                                                   | Code         | Description      | Size          | Lenght<br>of cover | Weight |
|-----------------------------------------------------------------------------------|--------------|------------------|---------------|--------------------|--------|
|  | O-EBLA-VA.SC | VALLEY 400 BLACK | 1350 x 400 mm | 1250 mm            | 2,1 kg |
| AVAILABLE FOR                                                                     |              |                  |               |                    |        |
| <div>CLASSICSTRATOS LELEGANCEELEGANCE ACQQUBE</div>                               |              |                  |               |                    |        |
|  | OR-XXX-RK.L  | REPAIR KIT       |               |                    | 1,2 kg |
| AVAILABLE FOR                                                                     |              |                  |               |                    |        |
| <div>CLASSICSTRATOS L</div>                                                       |              |                  |               |                    |        |

Please note that the stated weights may vary slightly due to natural variations in the raw materials.

# Accessories

## VENTS - STONE COATED







|                                                                                     | Code                                                                                                                                              | Description                     | Free ventilation area    | Connection                  | Weight |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------------------------|-----------------------------|--------|
|    | BRPXXX-RV.75                                                                                                                                      | ROOF VENT 75   CLASSIC          | 75 cm <sup>2</sup>       | with adapter Ø110 mm        | 1,4 kg |
| AVAILABLE FOR                                                                       | <input checked="" type="checkbox"/> CLASSIC <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>   |                                 |                          |                             |        |
|    | WRPXXX-RV.75                                                                                                                                      | ROOF VENT 75   STRATOS L        | 75 cm <sup>2</sup>       | with adapter Ø110 mm        | 1,4 kg |
| AVAILABLE FOR                                                                       | <input type="checkbox"/> <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |                                 |                          |                             |        |
|    | DRPXXX-RV.75                                                                                                                                      | ROOF VENT 75   QUBE             | 75 cm <sup>2</sup>       | with adapter Ø110 mm        | 1,4 kg |
| AVAILABLE FOR                                                                       | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> QUBE      |                                 |                          |                             |        |
|   | BRPXXX-HV.15-15                                                                                                                                   | HIGH VENT HV15-15   CLASSIC     | 150 x 150 mm             | with adapter Ø160 mm        | 2,2 kg |
| AVAILABLE FOR                                                                       | <input checked="" type="checkbox"/> CLASSIC <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>   |                                 |                          |                             |        |
|  | WRPXXX-HV.15-15                                                                                                                                   | HIGH VENT HV15-15   STRATOS L   | 150 x 150 mm             | With adapter Ø160 mm        | 2,2 kg |
| AVAILABLE FOR                                                                       | <input type="checkbox"/> <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |                                 |                          |                             |        |
|  | DRPXXX-HV.15-15                                                                                                                                   | HIGH VENT HV15-15   QUBE        | 150 x 150 mm             | With adapter Ø160 mm        | 2,2 kg |
| AVAILABLE FOR                                                                       | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> QUBE      |                                 |                          |                             |        |
|  | WRPXXX-HV.110                                                                                                                                     | SANITARY VENT HV110   STRATOS L | Fixed Ø110 mm (ISO) pipe | Pipe Ø110 mm                | 1,4 kg |
| AVAILABLE FOR                                                                       | <input type="checkbox"/> <input checked="" type="checkbox"/> STRATOS L <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |                                 |                          |                             |        |
|  | BRPXXX-TT.69                                                                                                                                      | TUBE TILE 1 PIPE   CLASSIC      |                          | Ø69 mm (pipe max. diameter) | 1,2 kg |
| AVAILABLE FOR                                                                       | <input checked="" type="checkbox"/> CLASSIC <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>   |                                 |                          |                             |        |
|  | BRPXXX-AZ16                                                                                                                                       | ANTENNA WEATHERING   CLASSIC    |                          |                             | 1,4 kg |
| AVAILABLE FOR                                                                       | <input checked="" type="checkbox"/> CLASSIC <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>   |                                 |                          |                             |        |

Please note that the stated weights may vary slightly due to natural variations in the raw materials.



# Accessories

POWDER COATED



|                                                                                     | Code                 | Description             | Size                 | Lenght of cover      | Weight               |
|-------------------------------------------------------------------------------------|----------------------|-------------------------|----------------------|----------------------|----------------------|
|    | OXXXXX-1RB.205       | BARREL 205              | 423 x 203 mm         | 400 mm               | 0,5 kg               |
|                                                                                     | AVAILABLE FOR        | <input type="text"/>    | <input type="text"/> | <input type="text"/> | <input type="text"/> |
|                                                                                     |                      |                         | ELEGANCE             | ELEGANCE ACO         | QUBE                 |
|    | OXXXXX-3RB.205       | BARREL 205 3-MOD        | 1220 x 203 mm        | 1195 mm              | 1,5 kg               |
|                                                                                     | AVAILABLE FOR        | <input type="text"/>    | <input type="text"/> | <input type="text"/> | <input type="text"/> |
|                                                                                     |                      |                         | ELEGANCE             | ELEGANCE ACO         | QUBE                 |
|    | OXXXXX-AR.130        | RIDGE COVER 130         | 1355 x 230 mm        | 1255 mm              | 1,5 kg               |
|                                                                                     | AVAILABLE FOR        | <input type="text"/>    | <input type="text"/> | <input type="text"/> | <input type="text"/> |
|                                                                                     |                      |                         | ELEGANCE             | ELEGANCE ACO         | QUBE                 |
|   | OXXXXX-AR.180        | RIDGE COVER 180         | 1355 x 325 mm        | 1255 mm              | 2,0 kg               |
|                                                                                     | AVAILABLE FOR        | <input type="text"/>    | <input type="text"/> | <input type="text"/> | <input type="text"/> |
|                                                                                     |                      |                         | ELEGANCE             | ELEGANCE ACO         | QUBE                 |
|  | OXXXXX-EC.AR.130     | RIDGE COVER 130 END CAP |                      |                      | 0,2 kg               |
|                                                                                     | AVAILABLE FOR        | <input type="text"/>    | <input type="text"/> | <input type="text"/> | <input type="text"/> |
|                                                                                     |                      |                         | ELEGANCE             | ELEGANCE ACO         | QUBE                 |
|  | OXXXXX-MPR           | MONO PITCH RIDGE        | 1350 mm              | 1250 mm              | 1,4 kg               |
|                                                                                     | AVAILABLE FOR        | <input type="text"/>    | <input type="text"/> | <input type="text"/> | <input type="text"/> |
|                                                                                     |                      |                         | ELEGANCE             | ELEGANCE ACO         | QUBE                 |
|  | OXXXXX-RB.205.T      | BARREL 205 T RIDGE      |                      |                      | 0,7 kg               |
|                                                                                     | AVAILABLE FOR        | <input type="text"/>    | <input type="text"/> | <input type="text"/> | <input type="text"/> |
|                                                                                     |                      |                         | ELEGANCE             | ELEGANCE ACO         | QUBE                 |
|  | OXXXXX-RB.205.Y15-30 | Y-HIP BARREL 205 15-30° |                      |                      | 0,5 kg               |
|                                                                                     | AVAILABLE FOR        | <input type="text"/>    | <input type="text"/> | <input type="text"/> | <input type="text"/> |
|                                                                                     |                      |                         | ELEGANCE             | ELEGANCE ACO         | QUBE                 |
|  | OXXXXX-RB.205.Y30-45 | Y-HIP BARREL 205 30-45° |                      |                      | 0,7 kg               |
|                                                                                     | AVAILABLE FOR        | <input type="text"/>    | <input type="text"/> | <input type="text"/> | <input type="text"/> |
|                                                                                     |                      |                         | ELEGANCE             | ELEGANCE ACO         | QUBE                 |



Please note that the stated weights may vary slightly due to natural variations in the raw materials.

|                                                                                     | Code               | Description                                                                                              | Size          | Lenght<br>of cover | Weight |
|-------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------|---------------|--------------------|--------|
|    | OX-XXX-EC.RB.205.H | BARREL 205 MOULDED END                                                                                   | 378 x 194 mm  |                    | 0,9 kg |
|                                                                                     | VERFÜGBAR FÜR      | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> |               |                    |        |
|                                                                                     |                    | ELEGANCE ELEGANCE ACO QUBE                                                                               |               |                    |        |
|    | OXXXXX-SR.SC       | SQUARE RIDGE SCANDINAVIA                                                                                 | 1355 x 41 mm  | 1255 mm            | 0,5 kg |
|                                                                                     | AVAILABLE FOR      | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> |               |                    |        |
|                                                                                     |                    | ELEGANCE ELEGANCE ACO QUBE                                                                               |               |                    |        |
|    | DXXXXX-BBC.L       | BOX BARGE SCRIBED 140 LEFT<br>  QUBE                                                                     | 1425 x 92 mm  | 1284 mm            | 1,4 kg |
|                                                                                     | AVAILABLE FOR      | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> |               |                    |        |
|                                                                                     |                    | QUBE                                                                                                     |               |                    |        |
|   | DXXXXX-BBC.R       | BOX BARGE SCRIBED 140<br>RIGHT   QUBE                                                                    | 1425 x 92 mm  | 1284 mm            | 1,5 kg |
|                                                                                     | AVAILABLE FOR      | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> |               |                    |        |
|                                                                                     |                    | QUBE                                                                                                     |               |                    |        |
|  | DXXXXX-BBC.L.SC    | BOX BARGE SCRIBED 50 LEFT<br>  QUBE                                                                      | 1425 x 105 mm | 1284 mm            | 0,9 kg |
|                                                                                     | AVAILABLE FOR      | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> |               |                    |        |
|                                                                                     |                    | QUBE                                                                                                     |               |                    |        |
|  | DXXXXX-BBC.R.SC    | BOX BARGE SCRIBED 50 RIGHT<br>  QUBE                                                                     | 1425 x 105 mm | 1284 mm            | 0,9 kg |
|                                                                                     | AVAILABLE FOR      | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> |               |                    |        |
|                                                                                     |                    | QUBE                                                                                                     |               |                    |        |
|  | OXXXXX-BBC.L.140.N | BOX BARGE SCRIBED 140 LEFT                                                                               | 1250 x 120 mm | 1107 mm            | 1,5 kg |
|                                                                                     | AVAILABLE FOR      | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> |               |                    |        |
|                                                                                     |                    | ELEGANCE ELEGANCE ACO                                                                                    |               |                    |        |
|  | OXXXXX-BBC.R.140.N | BOX BARGE SCRIBED 140<br>RIGHT                                                                           | 1250 x 120 mm | 1107 mm            | 1,5 kg |
|                                                                                     | AVAILABLE FOR      | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> |               |                    |        |
|                                                                                     |                    | ELEGANCE ELEGANCE ACO                                                                                    |               |                    |        |
|  | OXXXXX-BBC.L.50.N  | BOX BARGE SCRIBED 50 LEFT                                                                                | 1250 x 120 mm | 1107 mm            | 1,0 kg |
|                                                                                     | AVAILABLE FOR      | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> |               |                    |        |
|                                                                                     |                    | ELEGANCE ELEGANCE ACO                                                                                    |               |                    |        |

Please note that the stated weights may vary slightly due to natural variations in the raw materials.

|                                                                                     | Code                 | Description                 | Size                                         | Lenght of cover                                  | Weight                                   |
|-------------------------------------------------------------------------------------|----------------------|-----------------------------|----------------------------------------------|--------------------------------------------------|------------------------------------------|
|    | OXXXXX-BBC.R.50.N    | BOX BARGE SCRIBED 50 RIGHT  | 1250 x 120 mm                                | 1107 mm                                          | 1,0 kg                                   |
| AVAILABLE FOR                                                                       | <input type="text"/> | <input type="text"/>        | <input checked="" type="checkbox"/> ELEGANCE | <input checked="" type="checkbox"/> ELEGANCE ACO | <input type="text"/>                     |
|    | OXXXXX-BBC.L.SH      | BOX BARGE COVER SHORT LEFT  |                                              |                                                  | 0,5 kg                                   |
| AVAILABLE FOR                                                                       | <input type="text"/> | <input type="text"/>        | <input checked="" type="checkbox"/> ELEGANCE | <input checked="" type="checkbox"/> ELEGANCE ACO | <input type="text"/>                     |
|    | OXXXXX-BBC.R.SH      | BOX BARGE COVER SHORT RIGHT |                                              |                                                  | 0,5 kg                                   |
| AVAILABLE FOR                                                                       | <input type="text"/> | <input type="text"/>        | <input checked="" type="checkbox"/> ELEGANCE | <input checked="" type="checkbox"/> ELEGANCE ACO | <input type="text"/>                     |
|   | OXXXXX-BBC.S         | BOX BARGE STANDARD 1350     | 1355 x 100 mm                                | 1250 mm                                          | 1,2 kg                                   |
| AVAILABLE FOR                                                                       | <input type="text"/> | <input type="text"/>        | <input checked="" type="checkbox"/> ELEGANCE | <input checked="" type="checkbox"/> ELEGANCE ACO | <input checked="" type="checkbox"/> QUBE |
|  | OXXXXX-BB.U.L        | UNDER BARGE LEFT            | 1350 mm                                      | 1250 mm                                          | 1,4 kg                                   |
| AVAILABLE FOR                                                                       | <input type="text"/> | <input type="text"/>        | <input type="text"/>                         | <input type="text"/>                             | <input checked="" type="checkbox"/> QUBE |
|  | OXXXXX-BB.U.R        | UNDER BARGE RIGHT           | 1350 mm                                      | 1250 mm                                          | 1,4 kg                                   |
| AVAILABLE FOR                                                                       | <input type="text"/> | <input type="text"/>        | <input type="text"/>                         | <input type="text"/>                             | <input checked="" type="checkbox"/> QUBE |
|  | OXXXXX-EA.25         | EAVES FLASHING 1350         | 1355mm                                       | 1255 mm                                          | 1,0 kg                                   |
| AVAILABLE FOR                                                                       | <input type="text"/> | <input type="text"/>        | <input checked="" type="checkbox"/> ELEGANCE | <input checked="" type="checkbox"/> ELEGANCE ACO | <input checked="" type="checkbox"/> QUBE |
|  | OXXXXX-EA.P          | EAVES FLASHING SHORT-LEG    | 1355mm                                       | 1255 mm                                          | 1,0 kg                                   |
| AVAILABLE FOR                                                                       | <input type="text"/> | <input type="text"/>        | <input checked="" type="checkbox"/> ELEGANCE | <input checked="" type="checkbox"/> ELEGANCE ACO | <input checked="" type="checkbox"/> QUBE |
|  | OXXXXX-FS            | FLAT SHEET                  | 1345 x 455 mm                                |                                                  | 2,3 kg                                   |
| AVAILABLE FOR                                                                       | <input type="text"/> | <input type="text"/>        | <input checked="" type="checkbox"/> ELEGANCE | <input checked="" type="checkbox"/> ELEGANCE ACO | <input checked="" type="checkbox"/> QUBE |

Please note that the stated weights may vary slightly due to natural variations in the raw materials.

|                                                                                     | Code               | Description                                 | Size                 | Lenght of cover                              | Weight                                                                                    |
|-------------------------------------------------------------------------------------|--------------------|---------------------------------------------|----------------------|----------------------------------------------|-------------------------------------------------------------------------------------------|
|    | OXXXXX-SWF.L.100.N | SIDE WALL FLASHING SCRIBED 100 LEFT         | 1250 x 120 mm        | 1107 mm                                      | 1,2 kg                                                                                    |
|                                                                                     | AVAILABLE FOR      | <input type="text"/>                        | <input type="text"/> | <input checked="" type="checkbox"/> ELEGANCE | <input checked="" type="checkbox"/> ELEGANCE ACO <input type="text"/>                     |
|    | OXXXXX-SWF.R.100.N | SIDE WALL FLASHING SCRIBED 100 RIGHT        | 1250 x 120 mm        | 1107 mm                                      | 1,2 kg                                                                                    |
|                                                                                     | AVAILABLE FOR      | <input type="text"/>                        | <input type="text"/> | <input checked="" type="checkbox"/> ELEGANCE | <input checked="" type="checkbox"/> ELEGANCE ACO <input type="text"/>                     |
|    | DXXXXX-SWF.L.SC.NO | SIDE WALL FLASHING SCRIBED 100 LEFT   QUBE  | 1425 x 110 mm        | 1284 mm                                      | 1,2 kg                                                                                    |
|                                                                                     | AVAILABLE FOR      | <input type="text"/>                        | <input type="text"/> | <input type="text"/>                         | <input checked="" type="checkbox"/> QUBE                                                  |
|   | DXXXXX-SWF.R.SC.NO | SIDE WALL FLASHING SCRIBED 100 RIGHT   QUBE | 1425 x 110 mm        | 1284 mm                                      | 1,2 kg                                                                                    |
|                                                                                     | AVAILABLE FOR      | <input type="text"/>                        | <input type="text"/> | <input type="text"/>                         | <input checked="" type="checkbox"/> QUBE                                                  |
|  | OXXXXX-SWF.S       | SIDE WALL FLASHING STANDARD 1350            | 1365 x 100 mm        | 1265 mm                                      | 1,4 kg                                                                                    |
|                                                                                     | AVAILABLE FOR      | <input type="text"/>                        | <input type="text"/> | <input checked="" type="checkbox"/> ELEGANCE | <input checked="" type="checkbox"/> ELEGANCE ACO <input checked="" type="checkbox"/> QUBE |
|  | OXXXXX-RK.STIFT.50 | REPAIR STIFT 50 ML                          |                      |                                              | 0,1 kg                                                                                    |
|                                                                                     | AVAILABLE FOR      | <input type="text"/>                        | <input type="text"/> | <input checked="" type="checkbox"/> ELEGANCE | <input checked="" type="checkbox"/> ELEGANCE ACO <input checked="" type="checkbox"/> QUBE |

# Accessories

## VENTS - POWDER COATED



|                                                                                                                                                                  | Code            | Description                    | Free ventilation area       | Connection              | Weight |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------|-----------------------------|-------------------------|--------|
|                                                                                 | DXXXXX-RV.75    | ROOF VENT 75   QUBE            | 75 cm <sup>2</sup>          | with adapter<br>Ø110 mm | 1,1 kg |
| AVAILABLE FOR <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="button" value="QUBE"/>                            |                 |                                |                             |                         |        |
|                                                                                 | BXXXXX-RV.75    | ROOF VENT 75   ELEGANCE        | 75 cm <sup>2</sup>          | with adapter<br>Ø110 mm | 1,1 kg |
| AVAILABLE FOR <input type="text"/> <input type="text"/> <input type="button" value="ELEGANCE"/> <input type="button" value="ELEGANCE ACO"/> <input type="text"/> |                 |                                |                             |                         |        |
|                                                                                 | DXXXXX-HV.15-15 | HIGH VENT HV15-15   QUBE       | 150 x 150 mm                | With adapter<br>Ø160 mm | 1,3 kg |
| AVAILABLE FOR <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="button" value="QUBE"/>                            |                 |                                |                             |                         |        |
|                                                                                | BXXXXX-HV.15-15 | HIGH VENT HV15-15   ELEGANCE   | 150 x 150 mm                | With adapter<br>Ø160 mm | 1,3 kg |
| AVAILABLE FOR <input type="text"/> <input type="text"/> <input type="button" value="ELEGANCE"/> <input type="button" value="ELEGANCE ACO"/> <input type="text"/> |                 |                                |                             |                         |        |
|                                                                               | BXXXXX-HV.110   | SANITARY VENT HV110   ELEGANCE | Fixed Ø110 mm<br>(ISO) pipe | Pipe<br>Ø110 mm         | 1,1 kg |
| AVAILABLE FOR <input type="text"/> <input type="text"/> <input type="button" value="ELEGANCE"/> <input type="button" value="ELEGANCE ACO"/> <input type="text"/> |                 |                                |                             |                         |        |

Please note that the stated weights may vary slightly due to natural variations in the raw materials.

|                                                                                     | Code                     | Description                                                     | Size             | Amount  | Weight            |
|-------------------------------------------------------------------------------------|--------------------------|-----------------------------------------------------------------|------------------|---------|-------------------|
|    | 91-BLA-NAIL.5.G          | NAILS 50X2.8 GALVANISED 5KG<br>  BLACK                          | 50 x 2,8 mm      |         | 5 kg<br>/ box     |
|                                                                                     | 91-RED-NAIL.5.G          | NAILS 50X2.8 GALVANISED 5KG<br>  RED                            |                  |         |                   |
|    | 91-BLA-COILNAIL.16D      | COILNAILS PACK 16 DEGREE<br>COIL (200pcs) 50x2.5/2.8<br>BLACK   | 50 x 2,85/2,8 mm | 200 pcs | 0,52 kg<br>/ coil |
|                                                                                     | 91-RED-COILNAIL.16D      | COILNAILS PACK 16 DEGREE<br>COIL (200pcs) 50x2.5/2.8 RED        |                  |         |                   |
|    | 91-BLA-COILNAILS         | COILNAILS PACK 0 DEGREE<br>COIL (325pcs) 50x2,8 BLACK           | 50 x 2,8 mm      | 325 pcs | 0,84 kg<br>/ coil |
|                                                                                     | 91-RED-COILNAILS         | COILNAILS PACK 0 DEGREE<br>COIL (325pcs) 50x2,8 RED             |                  |         |                   |
|   | 91-BLA-SCREW.<br>NAIL16D | SCRAILS 16 DEGREE COIL<br>50 x 2.5/2.8 (200pcs)   BLACK         | 50 x 2,85/2,8 mm | 200 pcs | 0,42 kg<br>/ coil |
|                                                                                     | 91-RED-SCREW.<br>NAIL16D | SCRAILS 16 DEGREE COIL<br>50 x 2.5/2.8 (200pcs)   RED           |                  |         |                   |
|  | 91-BLA-SCREW.NAIL        | SCRAILS (300/coil) ZnNi+Ecoat.<br>  BLACK   0 degr   2,5/2,8x50 | 50 x 2,85/2,8 mm | 300 pcs | 0,63 kg<br>/ coil |
|  | 91-RED-SCREW.35.5.G      | SCREW 5.0x35MM   RED  <br>500 PCS/BOX                           | 5 x 35 mm        | 500 pcs | 1,1 kg<br>/ box   |
|  | 91-BLA-SCREW.35.5.G      | SCREW 5.0x35MM   BLACK  <br>500 PCS/BOX                         |                  |         |                   |
|  | 91-RED-SCREW.50.5.G      | SCREW 5.0x50MM   RED  <br>300 PCS/BOX                           | 5 x 50 mm        | 300 pcs | 1,1 kg<br>/ box   |
|  | 91-BLA-SCREW.50.5.G      | SCREW 5.0x50MM   BLACK  <br>300 PCS/BOX                         |                  |         |                   |

## Notes





Part of:



Michielenweg 3, 3700 Tongeren, Belgium

Tel. +32 (0) 12 39 88 01

E-mail: [info.europe@ikometals.com](mailto:info.europe@ikometals.com)

[www.decraroofs.eu](http://www.decraroofs.eu)

[www.ikometals.com](http://www.ikometals.com)